























COVID-19 Conversations Accessible/Easy Read tool.

APPENDIX

	<p>COVID-19 (also called Coronavirus) is a new illness. It affects people in different ways. It can make you very poorly. It has killed some people.</p>
	<p>The COVID-19 vaccine is an injection.</p>
	<p>The vaccine may help to stop you getting COVID-19.</p>
	<p>It also helps to stop you giving COVID-19 to other people.</p>
	<p>You will have two injections.</p>

	<p>You will have the 1st injection today.</p> <p>You should not attend a vaccine appointment if you are unwell, self-isolating, waiting for a COVID-19 test or unsure if you are fit and well</p>
	<p>You have the 2nd injection after 3 -12 weeks.</p>
	<p>You have the injection in your arm.</p>
	<p>You may feel a little scratch.</p>
	<p>The nurse will put a plaster on your arm.</p>

	<p>Your arm might be a little red and sore afterwards.</p>
	<p>You may feel tired.</p>
	<p>You may have a headache.</p>
	<p>You might feel a little poorly a few days later.</p>
	<p>You might have flu like symptoms.</p>
	<p>You can take some pain killers to help with this.</p>

	<p>Some people might have a temperature.</p>
	<p>If you feel unwell you should tell someone or call your doctor.</p> <p>If you or they are worried call 111.</p>
	<p>You will be given a leaflet.</p>
	<p>You need to come back in 3 - 12 weeks' time for the 2nd injection.</p>
 <p>1 week</p>	<p>After a week you should be safer from COVID-19.</p>
	<p>Is there anything you want to ask me?</p>

Created by the GSTT Community Learning Disability Nursing Service. Not for commercial reuse.